

### 14x12x6 Fiberglass Weatherproof NEMA 4X Enclosure with Blank Aluminum Equipment Mounting Plate



## Features

- Water Resistant JIC Enclosure Design with Gasketed Lid
- Stainless Steel Hinge and Quick Release Latches with Padlock Hasps
- Fiberglass Reinforced Polyester, FRP
- Includes Easy to Drill Blank Aluminum Equipment Mounting Plate
- Weatherproof, UV Stable and Highly Corrosion Resistant
- Meets NEMA 1, 2, 4, 4X, 12, 13, and IP65, IP66
- Includes Stainless Steel Mounting Feet
- RF Transparent Enclosure
- Pole Mounting Kit Available

## Description

---

The **Altelix NF141206P NEMA 4X Weatherproof Enclosure** is ideal for protecting equipment from harsh environments and tampering. This rugged NEMA box is molded from durable and UV resistant fiberglass reinforced polyester (FRP) with a UL94-5V flame rating. It features a gasketed door with stainless steel continuous hinge and stainless steel quick release latches with padlock hasps. The generous size of this enclosure accommodates a wide range of equipment.

This JIC style enclosure is dent-proof, corrosion resistant and UV stable. The FRP material is non-conductive and RF transparent. It is suitable for use in the harshest outdoor environments. It can be drilled and modified by the installer to suit unique site requirements.

### Aluminum Equipment Plate

This model features an easy to drill, aluminum equipment mounting plate. The enclosure and plate can be drilled and modified by the installer to suit unique site requirements.

### Mounting

Stainless steel brackets are included for secure wall mounting. Optional flange and pole mounting kits are available.

## Specifications

---

<b>Material</b>	Fiberglass Reinforced Polyester
<b>Color</b>	Gray
<b>Outer Dimensions</b>	15.7 x 13.8 x 6.5 Inches (401 x 352 x 165 mm)
<b>Inner Dimensions*</b>	13.0 x 11.0 x 4.9 Inches (330 x 279 x 124 mm)
<b>Weight</b>	10.2 lbs. (4.6 kg)
<b>Mounting Plate Material</b>	0.10 inch (2.5 mm) Aluminum
<b>Mounting Plate Dimensions</b>	10.9 x 12.8 inch (267 x 324 mm)
<b>Ratings</b>	Meets NEMA 1, 2, 4, 4X, 12, 13, and IP65, IP66
<b>Flame Rating</b>	UL94-5V
<b>Industry Certifications</b>	CE

\*Interior dimensions represent maximum space available for equipment.