



Amazon eero® Max 7 Not Included

Features

- Designed to fit the Amazon eero® Max 7 Mesh WiFi Router (Model V010001)
- RF transparent design will not affect wireless signal range or coverage pattern
- No electrical wiring required
- (2) 4" vents with rain shields and screens
- (2) Pre-wired 120VAC power outlets with pre-wired 5 ft. 3-Prong power cord
- Stainless steel hinge and quick release latches with padlock hasps
- Rugged RF transparent fiberglass reinforced polyester FRP construction
- Weatherproof, UV Stable and Highly Corrosion Resistant
- NEMA Type 3R, 3RX / IP24 Rated
- Includes cable glands and stainless steel mounting Feet
- Optional pole mounting kit available

Amazon eero® is a trademark or registered trademark of Amazon Technologies, Inc.

Description

The **Altelix Fan Cooled Amazon eero® Max 7 Enclosure** is ideal weatherproof enclosure designed to provide indoor or outdoor protection for the Amazon eero® Max 7 Mesh WiFi Router. It is ideal for rapid deployment because no wiring is required. Simply mount the enclosure and plug the pre-wired 5 foot power cord into a nearby outlet. The polyester non-metallic RF transparent equipment mounting plate features two pre-wired 120VAC power outlets for your equipment.

Get your project up and running quickly and transition to hard-wired later if needed. The power cord can be easily removed, and the quick-connect terminal strip simplifies hard-wiring by a qualified installer.

Amazon eero® Max 7 Mount

The NF14VMFA1C-EER6 features a mounting cradle specifically designed for the Amazon eero® Max 7 Mesh WiFi Router. It securely holds the Amazon eero® Max 7 while providing access to all ports without restricting airflow for cooling. For extra security and installations subject to vibrations, an optional hook and loop strap is provided to secure the router within the mounting cradle. The non-metallic design of the enclosure and cradle will not interfere with the WiFi signal range or coverage pattern.

Vented NEMA Enclosure

This enclosure features two 4 inch air vents covered by rain shields with cleanable screens which help expel heat from the enclosure while maintaining weatherproof protection. For additional cooling, this enclosure is also available with a thermostat-controlled cooling fan.


Extreme Protection Built to Last

This rugged JIC style NEMA box is molded from durable UV stable and corrosion resistant fiberglass reinforced polyester (FRP) with a UL94-5V flame rating. The FRP material is dent-proof, non-conductive and RF transparent for compatibility with wireless equipment. It can be easily drilled and modified by the installer as needed. It features a gasketed door with stainless steel continuous hinge and stainless steel quick release latches with padlock hasps. The generous size of this enclosure and the extended lid accommodate a wide range of equipment.

Mounting

Stainless steel brackets are included for secure wall mounting. Optional flange and pole mounting kits are available.

Product Photos



Product Photos

Mounting cradle securely holds the eero® Max 7 while providing access to all ports without restricting airflow for cooling.



Specifications

Material	Fiberglass Reinforced Polyester
Color	Gray
Voltage	120VAC
Max Load	10A @ 120VAC
Outer Dimensions	15.7 x 13.8 x 10.1 Inches (401 x 352 x 258 mm)
Inner Dimensions	13.0 x 11.0 x 5.0 Inches (330 x 279 x 127 mm)
Equipment Mounting Plate Material	0.20 In. (5.0 mm) Polyester
Weight	11.4 lbs. (5.1 kg)
Power Cord Length	5 Feet (1.5m)
Terminal Block Wire Range	12-18 AWG
Terminal Block Wire Strip Length	6-7mm
Ratings	NEMA Type 3R, 3RX / IP24
Flame Rating	UL94-5V
Compatible Amazon eero® Model	Amazon eero® Max 7 (Model V010001)