

14x11x5 Polycarbonate + ABS Weatherproof NEMA Enclosure with Non-Metallic Equipment Mounting Plate, 120 VAC Outlets & Power Cord



## Features

- No Electrical Wiring Required
- (2) Pre-Wired 120VAC Outlets
- Pre-wired 5 Foot Power Cord
- ABS + Polycarbonate Construction
- RF Transparent for Wireless Devices
- Gasketed Lid with Tamper-Proof Locking Screw
- Dual Door Latches
- PVC Non-Metallic Equipment Mounting Plate
- NEMA Type 3, 3X / IP55 Rated
- Includes Wall Mount Hardware and Cable Grommets
- Optional Pole Mount Kits Available

## Description

---

The **Altelix NP141105MA1C** NEMA enclosure is simple to install because no wiring is required. Simply mount the enclosure and plug the pre-wired 5 foot power cord into a nearby outlet. The finished aluminum equipment mounting plate features two pre-wired 120VAC power outlets for your equipment.

**Get your project up and running quickly** and transition to hard-wired later if needed. The power cord can be easily removed, and the power receptacle hard wired by an electrician or qualified installer.

**Polycarbonate + ABS Protection Built to Last** - This enclosure is molded out of UV resistant Polycarbonate + ABS, an industrial grade plastic with greater strength and durability than standard ABS. It features a gasketed hinged door with dual latches, a stainless steel security screw and provision for a padlock. Knock-out holes are provided on the top and bottom.

**RF Transparent Design** - The NP141105MA1C is ideal for WiFi applications. The non-metallic design of both the enclosure and equipment mounting plate will not interfere the radio's operation. In addition, mounting radios to PVC equipment mounting plate can be done simply by using self-tapping screws. The size of this enclosure will fit a wide range of popular wireless points on the market.

**Complete with Cable Grommets and Wire Management Accessories** - This enclosure includes an assortment of cable grommets that can be installed in the knock-out holes for a weather resistant seal. The included accessory kit contains wall anchors, zip ties, wire management loops, ground wire, door locking key and more.

**Mounting** - The enclosure can be wall mounted using the included wall anchors. An optional pole mount kit is also available for installation on poles up to 8 inches in diameter.

## Specifications

---

<b>Material</b>	PC+ABS Polycarbonate / ABS Blend
<b>Available Colors</b>	Gray, Red, Yellow
<b>Voltage / Max. Load</b>	120VAC / 10A @120V
<b>Outer Dimensions</b> (Height x Width x Depth)	13.4 x 11.5 x 5.0 Inches (340 x 293 x 127 mm)
<b>Inner Dimensions*</b> (Height x Width x Depth)	9.5 x 8.0 x 3.8 Inches (241 x 203 x 97 mm)
<b>Mounting Plate Material</b>	0.25 in (6.4 mm) PVC Foam
<b>Mounting Plate Dimensions</b>	11.7 x 9.0 in. (298 x 230 mm)
<b>Weight</b>	4.1 lbs. (1.8 kg)
<b>Power Cord Length</b>	5 Feet (1.5m)
<b>Ratings</b>	NEMA Type 3, 3X / IP55
<b>Flame Rating</b>	Meets UL94-V0
<b>Knockout Sizes (Diameter)</b>	(4) 0.62 in. (16 mm) (4) 0.78 in. (20 mm) (4) 1.30 in. (33 mm)

\*Interior dimensions represent maximum space available for equipment.