



Features

- Features a No-Drill PVC non-metallic equipment mounting plate - mount your equipment securely without the need for drilling!
- Extra deep gasketed lid with dual stainless steel latches
- Raised mounting bosses in the lid for use with equipment mounting plates and DIN rail kits
- Durable Polycarbonate + ABS construction, weatherproof and UV stable
- Meets NEMA 1, 2, 4, 4X, 12, 13 and IEC 529 IP65, IP66
- Tamper-Proof locking screw with key and provision for padlock
- Can be mounted using external mounting feet or internal mounting feet
- RF transparent for wireless devices
- Multiple size knock-out holes on bottom of enclosure
- Includes (2) locking keys, cable grommets, cable glands, zip ties, hook-n-loop tape and wall mounting hardware
- Optional pole mount kits available

Description

The **Altelix NP141109M** NEMA 4X enclosure is ideal for protecting devices from harsh environments and tampering. It features an extra deep gasketed lid, over 4 inches deep. With the generous size of this enclosure and extended lid the NP141109M can accommodate a wide range of equipment.

Mount Equipment in the Lid

The extra deep lid of this enclosure is designed so that additional equipment can be mounted in the lid for even more versatility. Raised mounting bosses are provided for use with equipment mounting plates or up to (3) Altelix 35mm DIN Rail Kits (sold separately). A large flat section is also provided for use with the hook-n-loop tape included in the accessory kit.

No-Drill Non-Metallic Equipment Plate

Included with this enclosure is a 10mm thick non-metallic PVC plate for mounting and securing equipment. Due to the "No-Drill" design of this PVC plate, mounting radios and other equipment can be done simply by using self-tapping screws.

RF Transparent Design

The NP141109M is ideal for WiFi applications. The non-metallic design of both the enclosure and equipment mounting plate will not interfere with the radio's operation. The size of this enclosure will fit a wide range of popular wireless access points on the market.

Secure Your Equipment

These NP series enclosures feature dual stainless steel quick release latches. A stainless steel security screw with keys and a provision for a padlock are also provided.

Polycarbonate + ABS Protection Built to Last

This enclosure is molded out of UV resistant Polycarbonate + ABS, an industrial grade plastic with greater strength and durability than standard ABS. This enclosure can be easily drilled and modified by the installer to suit unique site requirements. It meets or exceeds NEMA 1, 2, 4, 4X, 12, 13 and IEC 529 IP65, IP66.

Complete with Cable Grommets and Wire Management Accessories

This enclosure includes an assortment of cable grommets and cable glands that can be installed in the knock-out holes for a weather resistant seal. Also included in the accessory kit are wall anchors, zip ties, wire management loops, hook-n-loop tape, ground wire, (2) door locking keys and more.

Multiple Mounting Options

This enclosure features (4) external mounting feet which can be used for wall mounting or with our optional pole mounting kit. Mounting points are also provided inside the enclosure. These can be easily drilled out and used for applications requiring a more secure installation.

Specifications

Material	PC+ABS Polycarbonate / ABS Blend
Color	Gray
Outer Dimensions	14.2 x 11.6 x 8.9 Inches (361 x 293 x 226 mm)
Inner Dimensions	11.7 x 8.7 x 7.3 inches (297 x 220 x 185 mm)
Mounting Plate Material	0.40 In. (10 mm) PVC
Mounting Plate Dimensions	11.5 x 8.5 in. (294 x 216 mm)
Weight	4.3 lbs. (2.0 kg)
Ratings	Meets NEMA 1, 2, 4, 4X, 12, 13, and IP65, IP66
Flame Rating	Meets UL94-V0
Industry Certifications	CE
Knock-Out Sizes	(3) 0.62 in. (16 mm) (4) 1.02 in. (26 mm) (1) 1.30 in. (33 mm)