NP171403

Altelix 17x14x3 Polycarbonate Weatherproof Utility Enclosure



Features

- Meets NEMA Type 3, 3X and IEC IP55
- Weatherproof and UV Stable
- Durable Polycarbonate + ABS Construction
- RF Transparent for Wireless Devices
- Raised Mounting Bosses for Equipment Mounting Plates and DIN Rails
- Gasket-Sealed Hinged Flat Lid with Dual Latches
- Tamper-Proof Locking Screw with Key and Provision for Padlock
- Includes Wall Mounting Hardware, Cable Grommets, Zip Ties, Cable Management Loops, Grounding Plate and Ground Wire
- Knockout Holes on Top and Bottom

Altelix LLC USA: 866-660-9434 +1 561-660-9434 sales@altelix.com www.altelix.com
Copyright (C) 2026 Altelix LLC. All rights reserved. Altelix and the Altelix logo are Trademarks and/or Registered Trademarks of Altelix LLC.
Specifications are subject to change without notice. See www.altelix.com for most current information.

Description

Weatherproof Polycarbonate + ABS Construction For Extreme Durability
The Altelix PC+ABS Plastic Utility Enclosure is an industrial-grade, general-purpose weatherproof enclosure designed to protect wiring and small electronic devices in harsh environments. Available in Black or Gray with a choice of opaque or clear flat lid.

Construction and Features
Molded from UV-resistant Polycarbonate + ABS for superior strength and durability, this enclosure features a gasket-sealed, hinged flat lid with dual latches, a stainless steel security screw and provision for a padlock. The clear lid option provides visibility of installed equipment without opening the enclosure. Knockout holes are provided on the top and bottom. Meets or exceeds NEMA Type 3, 3X and IEC IP55.

RF Transparent Design
The non-metallic construction allows wireless signals to pass through, making the enclosure ideal for WiFi access points and other wireless equipment.

Equipment Mounting Options
Raised bosses located in the base accommodate optional equipment mounting plates and 35mm Top Hat DIN rails (sold separately).

Complete with Cable Grommets and Wire Management Accessories
Includes an assortment of cable grommets for weather-resistant cable entry through the knockout holes. Supplied accessories include wall anchors, zip ties, wire management loops, grounding plate and ground wire, door locking key and more.

Optional Mounting Accessories
Equipment mounting plates and pole mounting kits are available separately.

Copyright (C) 2026 Altelix LLC. All rights reserved. Altelix and the Altelix logo are Trademarks and/or Registered Trademarks of Altelix LLC.
Specifications are subject to change without notice. See www.altelix.com for most current information.

Product Photos



Altelix LLC USA: 866-660-9434 +1 561-660-9434 sales@altelix.com www.altelix.com
Copyright (C) 2026 Altelix LLC. All rights reserved. Altelix and the Altelix logo are Trademarks and/or Registered Trademarks of Altelix LLC.
Specifications are subject to change without notice. See www.altelix.com for most current information.

Specifications

Material	Polycarbonate + ABS
Available Colors	Black, Gray
Lid Options	Opaque, Clear
Outer Dimensions	16.5 x 13.7 x 3.25 Inches
(Height x Width x Depth)	(420 x 348 x 83 mm)
Inner Dimensions*	14.0 x 9.0 x 2.75 Inches
(Height x Width x Depth)	(356 x 229 x 70 mm)
Weight	4.1 lbs. (1.9 kg)
Ratings	NEMA Type 3, 3X / IP55
Flame Rating	Meets UL94-V0
Knockout Sizes (Diameter)	(4) 0.62 in. (16 mm) (4) 1.02 in. (26 mm) (4) 1.30 in. (33 mm)

***Interior dimensions represent maximum space available for equipment.**

Altelix LLC USA: 866-660-9434 +1 561-660-9434 sales@altelix.com www.altelix.com
Copyright (C) 2026 Altelix LLC. All rights reserved. Altelix and the Altelix logo are Trademarks and/or Registered Trademarks of Altelix LLC.
Specifications are subject to change without notice. See www.altelix.com for most current information.