



Shown with Cell Phone Installed.
(Phone and Ethernet Cable Not Included)

Features

- Internal Power-over-Ethernet (PoE) adapter allows the enclosure to receive power for cell phone charging from a single Ethernet cable
- Available with USB-C or Micro USB cell phone charging cable
- Magnetic mount allows any cell phone to be installed inside the enclosure
- Weatherproof UV resistant emergency phone label
- ABS + Polycarbonate construction
- Water resistant enclosure design with gasketed Lid and dual door latches
- UV and corrosion resistant
- NEMA Type 1, 2, 3, 3R, 3RX / IP55 rated
- Includes Wall Mount Hardware and cable gland

Description

The **Altelix Weatherproof Emergency Cell Phone Enclosure** is ideal for deploying emergency cell phones in outdoor and remote locations without access to power or wired landlines.

New Life for Old Cell Phones

Most old cell phones which are no longer subscribed to or supported by a specific carrier can still call 911 services. This makes them ideal as emergency only phones. The Altelix Emergency Cell Phone Enclosure is designed for just that purpose.

Easy to Install

Since the Altelix TBP uses Power-over-Ethernet (PoE) to provide power to the cell phone, this enclosure is ideal for locations with no power available. Simply run an Ethernet cable (not included) from the internal PoE adapter inside the enclosure to any device that provides PoE power, such as network switch or a PoE power injector installed at the location where power is provided. Inside the enclosure a magnetic cell phone mount is provided for use with any cell phone. A cable is provided from the PoE adapter to charge the cell phone. This charging cable is available with either a USB-C or Micro USB connector.

Rugged Construction for Outdoor Use

This durable NEMA 3X enclosure is molded out of UV resistant PC+ABS, a high-tech blend of polycarbonate and ABS which combines the best qualities of both into a single material. PC+ABS enclosures maintain high toughness, durability and dimensional stability even at extreme cold and hot temperatures. The door is gasketed for use in dusty or wet areas.


Mounting

The enclosure can be wall mounted using the included anchors. The mounting hardware is concealed within the enclosure for a finished appearance and enhanced security. An optional pole mount kit is also available.

Emergency Phone Label

This enclosure features a red and white weatherproof UV resistant Emergency Phone label on the door.

Product Photos



Specifications

Material	Polycarbonate + ABS
Available Colors	Gray, Light Ivory, OD Green
Outer Dimensions	13.4 x 11.5 x 5.0 Inches (340 x 293 x 127 mm)
Inner Dimensions	10.5 x 8.0 x 3.7 Inches (266 x 203 x 94 mm)
Mounting Plate Material	0.25 In. (6.4mm) PVC
Charging Cable Connectors	USB-C or Micro USB
Weight	4.2 lbs. (1.9 kg)
Ratings	NEMA 1, 2, 3, 3R, 3RX / IP55
Flame Rating	Meets UL94-V0

Available Colors

